

NOTE: This order is nonprecedential.

**United States Court of Appeals  
for the Federal Circuit**

---

**THE OHIO WILLOW WOOD COMPANY,**  
*Plaintiff/Counterclaim Defendant-Appellant,*

v.

**THERMO-PLY, INC.,**  
*Defendant/Counterclaimant-Cross Appellant,*

and

**COASTAL LINERS, LLC,**  
*Counterclaimant-Appellee.*

---

2010-1119, -1269

---

Appeals from the United States District Court for the  
Eastern District of Texas in case no. 07-CV-0274, Judge  
Ron Clark.

---

**ON MOTION**

---

**O R D E R**

Upon consideration of the parties' joint notice,  
IT IS ORDERED THAT:

The appeals are consolidated and the revised official caption is reflected above. Thermo-Ply, Inc.'s and Coastal Liner's combined opening brief\* is due within 40 days of the date of filing of this order. The remaining brief due dates are set forth in Fed. Cir. R. 31(a).

FOR THE COURT

FEB 28 2011

Date

/s/ Jan Horbaly

Jan Horbaly

Clerk

cc: Richard E. Fee, Esq.  
Jeffrey S. Standley, Esq.

s8

**FILED**  
U.S. COURT OF APPEALS FOR  
THE FEDERAL CIRCUIT

FEB 28 2011

**JAN HORBALY**  
**CLERK**

---

\* The cross-appellant and appellee are represented by the same counsel and must file a combined opening brief. For the cross-appellant's reply brief, only Thermo-Ply may argue.